



We produce the best enclosure systems

# Electro-welded mesh

Panels for enclosures and industrial uses




Calle Edison, nº1. Pol. Ind. Can Estella.  
08635 Sant Esteve Sesrovires. Barcelona. Spain.  
Tel: (00 34) 93 771 55 41  
[tecnomallas@tecnomallas.com](mailto:tecnomallas@tecnomallas.com)  
[www.tecnomallas.com](http://www.tecnomallas.com)

# Electro-welded panels for industrial and public applications

Electro-welded panels offer the ideal solution for industrial enclosures, fences around schools and sporting venues, the protection of machinery, containers, decorative finishes, and many other uses.


These panels, with a variety of finishes based on intended use, can be used for any project or enclosure type.




## Tecnomallas Quality

The main goal of Industrias Tecnomallas, a company specialised in the production of electro-welded mesh, is to offer a product that meets the highest quality requirements. To achieve this goal, we rely on the most technologically advanced welding equipment, as well as a team of highly qualified workers. By constantly investing in the most modern and reliable versions of welding equipment available, we have become one of the most competitive businesses in the industry.

- 1.- Our equipment, which makes use of the most modern technology, allows us to guarantee an unbeatable welding finish.
- 2.- Our mesh is manufactured using grey zinc-aluminium galvanised or stainless-steel wire that meets the most demanding European standards in terms of tensile strength, weight, diameter, etc.
- 3.- The high flexibility of our welding lines allows us to optimise the production time for small and large series, reducing changeover times. We guarantee short delivery times and competitive prices.





### Materials

**Galvanised Rod Detail**

↑ Fe      ↑ Zn

Compliant with the EN 10244-2 Standard

**Grey Rod Detail**


↑ Fe

Compliant with the ISO 16120-2 Standard

**Stainless Steel Rod Detail**

↑ Inox

Compliant with the EN 1088-2 Standard. AISI 3013 and 316 Quality



### Standard dimensions

MESH	∅ WIRE	Length	Width
25 x 25	3	2.000	1.000
30 x 30	3	2.000	1.000
40 x 40	3 - 4	2.000	1.000
50 x 50	4 - 5	2.600	1.000 - 1.200 - 1.500 - 1.800 - 2.000
100 x 50	4 - 5	2.600	1.000 - 1.200 - 1.500 - 1.800 - 2.000
150 x 50	4 - 5	2.600	1.000 - 1.200 - 1.500 - 1.800 - 2.000
200 x 50	4 - 5	2.600	1.000 - 1.200 - 1.500 - 1.800 - 2.000
300 x 50	4 - 5 - 6	2.600	1.000 - 1.200 - 1.500 - 1.800 - 2.000

*All dimensions in mm. Other special dimensions available on request.*

